Lighting

TECHNICAL DATA SHEET





EUROPEAN
OFFICE
FURNITURE
MANUFACTURER
* * * * * *

AVA desk lamp - Characteristics





Materials: Epoxy-lacquered steel and ABS plastic

Switch: Touch button on lamp head

Plug type: Lamp charges via a USB-C port (USB-A/USB-C cable supplied)

Features:

- Variable brightness (hold down the touch button)

- Indoor or outdoor use (IP44-rated)

- Wireless

Light source: Built-in LEDs (cannot be replaced)

Power in W (or equivalent): 1.06 W

Luminous flux: 150 lumens
Colour rendering index (CRI): 91
Light temperature (in Kelvin): 3000K
Luminous efficacy (Lm/W): 142 lm/W
Power consumption: 1 kWh/1000h

Energy class: D

Rated lifespan: 50,000 hours

Overall dimensions (mm)


Max. height: 310 mm Max. width: 100 mm Base: Ø 50 mm Head: 50 x 50 mm Weight (kg): 0.39 kg




Finishes: Black (SGOF), Lime blossom green (QBXA), Beige red (QDXF), Soft


orange (QIXG)

DIMENSIONS









CHAMPI desk lamp - Characteristics

Materials: Epoxy-lacquered steel and synthetic materials

Switch: Touch button on base

Plug type: Lamp charges via a USB-C port (cable supplied)

Features:

- Variable brightness (push the touch button)

- Wireless (autonomy 5h)

- Rotating diffuser (head)

Light source: Built-in LEDs (cannot be replaced)

Power in W (or equivalent): $7.5~\mathrm{W}$

Luminous flux: 459 lumens

Colour rendering index (CRI): > 80 Light temperature (in Kelvin): 3000K Luminous efficacy (Lm/W): 112 lm/W Power consumption: 5 kWh/1000h

Energy class: F

Rated lifespan: 30.000 hours




Max. height: 265 mm Max. width: 165 mm Base: Ø 72 mm Head: Ø 165 mm


Weight (kg): 0.86 kg

Finishes: Matt black (SGXJ), Gloss white (SOXH), Gloss grey (QMXI),

Gloss pink (QLXO)

DIMENSIONS







AURA desk lamp - Characteristics

Materials: Epoxy-lacquered steel and beech wood

Switch: Button on base

Plug type: Lamp charges via a USB-C port (cable supplied)

- Features:

- Variable brightness (push the button)

- Built-in 5V/1A USB-A charging port

Light source: Built-in LEDs (cannot be replaced)

Power in W (or equivalent): 9 W Luminous flux: 997 lumens Colour rendering index (CRI): 84 Light temperature (in Kelvin): 2900 Luminous efficacy (Lm/W): 111 lm/W Power consumption: 9 kWh/1000h

Energy class: E

Rated lifespan: 50,000 hours


Overall dimensions (mm)


Max. height: 530 mm
Max. width: 460 mm
Base: 180 mm
Head: 50 x 50 mm
Weight (kg): 1.7 kg

Finishes: White/Wood (SOXP), Black/Wood (SGXP)

DIMENSIONS









OL 07 desk lamp - Characteristics



Materials: Plastic head and base, steel arm

Switch: Touch button on base

Plug type: Type E & F (FR) Euro 3-gang plug - socket adapter for UK and CH

versions.

Cable length 1.70 m.

Other: Pivoting/tilting stem and head

Features:

- 3 brightness settings

- 3 colour temperatures

Light source: Built-in LEDs (cannot be replaced)

Power in W (or equivalent): 4.1 W

Luminous flux: 510 lumens

Colour rendering index (CRI): 83

Light temperature (in Kelvin): 3000-6500 K Luminous efficacy (Lm/W): 150 lm/W Power consumption: 5 kWh/1000h

Energy class: D

Rated lifespan: 50,000 hours


Overall dimensions (mm)

Max. height: 375 mm Max. width: 200 mm Base: 165 x 106 mm Head: 160 x 60 mm Weight (kg): 0.912

Finishes: White (OG), Black (OF)

DIMENSIONS







OL 02 desk lamp - Characteristics

Materials: Aluminium/steel/ABS Switch: Touch button on base

Plug type: Type E & F (FR) Euro 3-gang plug - socket adapter for UK and CH

versions.

Features:
- 5 brightness settings

- 3 colour temperatures (2800 to 5700 Kelvin)

- USB phone charging port + wireless charging pad for devices with wireless

charging capability

Nightlight functionAutomatically switches off after 60 minutes

- Ambient light sensor with adjustable brightness level

A 11 1 1100

- Anti-glare diffuser

Light source: Built-in LEDs (cannot be replaced)

Power in W (or equivalent): 10.9 W

Luminous flux: 650 lumens

Colour rendering index (CRI): > 80

Light temperature (in Kelvin): 2800K - 5700K

Luminous efficacy (Lm/W): 60 lm/W Power consumption: 7 kWh/1000h

Energy class: G

Rated lifespan: 35,000 hours


Overall dimensions (mm)

Max. height: 455 mm Max. width: 645 mm Base: 205 x 105 mm Head: 328 x 61 mm Weight (kg): 1.06 kg

Finishes: White and silver (OGOL)

DIMENSIONS

455 maxi 0-110*





CL 05 floor lamp – Characteristics



Switch: Foot switch on power cable

Plug type: Type E & F (FR) Euro 3-gang plug - socket adapter for UK and CH

versions. Cable length 3 metres.

Light source: E27 LED bulb

Power in W (or equivalent): 8 W

Luminous flux: 1055 lumens

Colour rendering index (CRI): > 80

Light temperature (in Kelvin): 4000K

Luminous efficacy (Lm/W): 96 lm/W

Power consumption: 8 kWh/1000h

Energy class: E

Rated lifespan: 15.000 hours

Overall dimensions (mm)


Max. height: 1550 mm Max. width: 600 mm Base: Spacing 600 mm Head: 450 x 270 mm Weight (kg): 2.63 kg

Finishes: White linen shade (EX), Wood-effect shade (MB)



DIMENSIONS

Ø400 Ø450





CL 09 floor lamp - Characteristics

Materials: Base and shelf: Black epoxy-lacquered steel. Lampshade: Black

chintz.

Switch: Foot switch on cable

Plug type: Type E & F (FR) Euro 3-gang plug - socket adapter for UK and CH

versions. Cable length 2 metres.

Light source: E27 LED bulb

Power in W (or equivalent): 8 W

Luminous flux: 1055 lumens

Colour rendering index (CRI): > 80

Light temperature (in Kelvin): 4000K

Luminous efficacy (Lm/W): 124 lm/W

Power consumption: 8 kWh/1000h **Energy class:** E

Rated lifespan: 15.000 hours


Overall dimensions (mm)

Max. height: 1465 mm Max. width: See base Base: Ø 277 mm Head: Ø 380 mm Weight (kg): 6.2 kg

Finishes: Textured black (ZP)

FILAIRES DIMENSIONS

Ø330 Ø277 Ø277





AURA floor lamp - Characteristics

Materials: Epoxy-lacquered steel and beech wood

Switch: Touch button on stem

Plug type: Type E & F (FR) Euro 3-gang plug - socket adapter for UK and CH

versions. **Features:**

- 3 brightness settings

Light source: Built-in LEDs (cannot be replaced)

Power in W (or equivalent): 37 W Luminous flux: 5539 lumens Colour rendering index (CRI): 83 Light temperature (in Kelvin): 3000K Luminous efficacy (Lm/W): 150 lm/W Power consumption: 37 kWh/1000h

Energy class: C

Rated lifespan: 40;000 hours

Overall dimensions (mm)


Max. height: 1800 mm Max. width: 340 mm


Base: Ø 340 mm - sheet metal, thickness 8 mm, weighted 5 kg


Head: Ø 340 mm **Weight (kg):** 8.4 kg

Finishes: White/Wood (SOXP), Black/Wood (SGXP)

DIMENSIONS









NEO floor lamp - Characteristics



Switch: Double button on base

Plug type: IEC plug (EUR) - cable length 2 metres

Other: Two versions: 4000K (neutral white) or 3000K (warm white)

Features:

- Direct/indirect lighting with variable brightness (25% direct lighting / 75% indirect lighting)
- Occupancy sensor (light automatically switches off after 20 minutes) and brightness sensor

Light source: Built-in LEDs (can only be replaced by an approved specialist)

Power in W (or equivalent): 87 W

Luminous flux: 12421 lumens (4000K version) / 11900 lumens (3000K version)

Colour rendering index (CRI): > 80

Light temperature (in Kelvin): 4000K / 3000K Luminous efficacy (Lm/W): 136-142 lm/W Power consumption: 85 kWh/1000h

Energy class: D


Rated lifespan: 50.000 hours

Overall dimensions (mm)

Max. height: 1983 mm Max. width: 420 mm Base: 500 x 420 mm Head: 855 x 190 mm Weight (kg): 11.91 kg

Finishes: Silver (SA), White (SO) or Black (SG)

DIMENSIONS




Energy efficiency label

This lamp contains a light source with an energy efficiency rating of <X> (scale from A to G).

All lamps are delivered with an "energy efficiency class" datasheet for the supplied light source.









EUROPEAN
OFFICE
FURNITURE
MANUFACTURER

* * * * * *

PARIS

1 rue des Céréales - Bât 112 - 93200 **SAINT DENIS** - Tél : +33 (0)1 49 35 60 00 **BRUXELLES**

81, Chaussée de Nivelles - 1420 **Braine-l'Alleud** - Tel : +32 (0)2 894 99 80

eol-group.net