## **TECHNICAL SPECIFICATIONS SHEET**



## FEATURES



## OFFICE CHAIRS

BACKREST	Polypropylene internal structure / CFC-free PU foam THK 40 mm, density 25 Kg/m3 Covering: Cagliari polyacrylic fabric 225 g/m² - 35,000 Martindale cycles, in blue or black finish
SEAT	Polypropylene internal structure / CFC-free PU foam THK 40 mm, density 30 Kg/m3 Covering: Cagliari polyacrylic fabric 225 g/m² - 35,000 Martindale cycles, in blue or black finish
ARMRESTS	Fixed armrests Black polypropylene
MECHANISM & ADJUSTMENT SYSTEM	Permanent contact mechanism  Height (50 mm) and depth (30 mm) adjustable backrest, by means of a handwheel  Synchro mechanism  Height adjustment via rack-and-pinion (+ 70 mm), reverse lock safety mechanism  Packrest locking to 5 preset positions
	Backrest locking to 5 preset positions  Backrest tension adjustment performed using a handwheel located at the front of the seat
BASE	5-point star base Black nylon ø 640 mm Pneumatic hydraulic gas lift mechanism, black finish, adjustment range of 140 mm
	Castors As standard: self-braking castors ø 50 mm, for soft floors (polypropylene castor housing and wheel)



	OFFICE CHAIRS	
	Permanent contact mechanism	
OVERALL DIMENSIONS (in mm)		
Width	640	
Depth	640	
Height	920 / 1,060	
USEFUL DIMENSIONS (in mm)		
Seat height	420 / 560	
Width x Seat depth	470 x 460	
Backrest height (Distance between top of backrest/top of seat)	500	
Height of Fixed Armrests	210	
WEIGHT (kg)		
Max. load	110	

