PING - Table

CHARACTERISTICS



MEETING TABLE / RELAXATION TABLE

TABLE TOP	Melamine covered particle board panels 25 mm thick. 2 sides treated with an anti-reflective coating Colourway: blue Bonded ABS edge banding 2 mm thick, rounded on upper and lower edges. Edge banding in white Straight corners Panel density 630 to 710kg/m3 Panels sourced from sustainably managed forests (PEFC). Fire rating M3 (combustible, moderately flammable) in accordance with the standard NF EN 13501-1 Panels are certified E1 (control of formaldehyde emissions), emitting 6.5 mg HCNO/100 mg and compliant with standard NF EN
STRUCTURE	Metal frame legs in an epoxy powder coating, joined by a 15/10th mm thick, 50 x 20 mm tubular section crossbeam > Crossbeam secures to the leg using a beam hook (4 mm thick sheet steel) welded to the top of the bridge > Secured to the table top by screwed metal inserts to simplify assembly and disassembly while providing excellent structural rigidity (140 kg per insert under test conditions) > Structure colour: textured white > Addition of 2 white metal braces on either side of the crossbeam to prevent the table top from warping
LEGS	Rectangular section naturally varnished solid beech legs, fitted with chromed adjustable stabilizer feet

NET KIT	Set including: > Adjustable ping-pong net posts in white/grey with extendible net (up to 170 cm) > 2 rackets > 2 balls
	The net can be installed in 10 seconds on tables of maximum thickness 0.5 to 6 cm.


DIMENSIONS

EXTERNAL DIMENSIONS (in mm) - Without net		
TABLE		
Depth	1200	
Width	2150	
Height	735	





DIMENSIONS





Top view

Front view

