




CHARACTERISTICS






OFFICE CHAIRS

BACKREST	<p>Fabric backrest Internal structure, shell and decorative insert made from polypropylene/injection moulded foam B56672E, thickness 20 mm, density 56 kg/m3 Padding effect realised with thread stitching Height adjustment using two slider release buttons at the rear of the backrest (+ 60 mm)</p> <p>Backrest foam (for the version with front & rear fabric covering): A510 wadding, 400 g/m2, thk 12 mm</p> <p>Mesh backrest Polypropylene frame made from 70% recycled materials, thickness 5 mm, with lumbar support Frame and mesh assembled using staples Height adjustment using two slider release buttons at the rear of the backrest (+ 60 mm)</p> <p>Fabric headrest Overall adjustment range 50 mm, with 6 preset positions (approx. every 8.5 mm)</p>
BACKREST ATTACHMENT	3x M8 inserts secure the backrest to the seat
SEAT	<p>Plywood internal structure (12 mm), shell made from polypropylene (2.5 mm) & injection moulded foam (thk 46.2 mm, density 55 +/- 5 kg/m3) Padding effect realised with thread stitching</p> <p>Adjustments: Optional seat depth adjustment with 6 preset positions spaced at 11 mm intervals, with an overall range of 55 mm</p>
ARMRESTS	<p>1D armrests Polyamide Height adjustment: 8 preset positions spaced at 10 mm intervals, with an overall range of 70 mm</p> <p>4D armrests Polyamide with flexible polyurethane (PU) armrest sleeve 4-way adjustment: > Width: 30 mm adjustment range on each side > Height: 11 preset positions spaced at 10 mm intervals, with an overall range of 100 mm > Depth: 5 preset positions spaced at 12.5 mm intervals, with smooth transitions and an overall range of 65 mm > Rotation: 3 preset positions spaced at 10° intervals, with smooth transitions and an overall range of 25°</p>
MECHANISM & ADJUSTMENTS	<p>Synchro mechanism with lateral adjustment lever > Synchronised seat and backrest inclination through 20° > Backrest inclination can be locked in 5 preset positions > Backrest tension adjusted using a hand lever located to the side of the seat</p> <p>Ergonomic synchro mechanism > Synchronised seat and backrest inclination through 15° > Backrest inclination can be locked in 4 preset positions > Backrest tension adjusted using a hand lever located to the side of the seat > Optional seat depth adjustment with 6 preset positions spaced at 11 mm intervals, with an overall range of 55 mm</p>
BASE	<p>5-point star base Black polyamide Ø 690 mm Gas lift mechanism, Black finish, adjustment range of 125 mm</p> <p>Castors Options: > Soft-floor castors Ø 50 mm (polypropylene castor housing and wheel) > Hard-floor castors Ø 50 mm (polypropylene castor housing and wheel, non-marking thermoplastic rubber banding) > Self-locking castors for soft or hard floors Ø 50 mm (polypropylene castor housing and wheel) Castors lock automatically when the chair is in use (seated user)</p>

DIMENSIONS & WEIGHT

	OFFICE CHAIR		
	 BACKREST WITH FRONT FABRIC COVERING ONLY	 BACKREST WITH FRONT & REAR FABRIC COVERING	 MESH BACKREST
OVERALL DIMENSIONS (mm)			
Width	690		
Depth	525		
Height	With seat depth adj. : 1170.5 Without seat depth adj. : 1200		
USABLE DIMENSIONS (mm)			
Seat height	With seat depth adj.: 425-555 Without seat depth adj: 430-565		
Seat width x depth	With seat depth adj.: 490x423-474 Without seat depth adj.. 490x440	With seat depth adj.: 490x423-474 Without seat depth adj.. 490x440	With seat depth adj.: 490x425-480 Without seat depth adj.. 490x453
Backrest height (distance between top of backrest/top of seat)	585-640		
Height of 1D armrests (distance between top of backrest/top of armrest)	160-230		
Height of 4D armrests (distance between top of backrest/top of armrest)	160-260		
WEIGHT (kg)			
Net weight	21.211	21.861	16.093
Max. load - 1D armrests	40 kg		
Max. load - 4D armrests	40 kg		
Max. load	120 kg		

DIMENSIONS & WEIGHT

	OFFICE CHAIR WITH HEADREST		
	 BACKREST WITH FRONT FABRIC COVERING ONLY	 BACKREST WITH FRONT & REAR FABRIC COVERING	 MESH BACKREST
OVERALL DIMENSIONS (mm)			
Width	690		
Depth	525		
Height	With seat depth adj.: 1390 Without seat depth adj. : 1415		
USABLE DIMENSIONS (mm)			
Seat height	With seat depth adj.: 425-555 Without seat depth adj.: 430-565		
Seat width x depth	With seat depth adj.: 490x423-474 Without seat depth adj.. 490x440	With seat depth adj.: 490x423-474 Without seat depth adj.. 490x440	With seat depth adj.: 490x425-480 Without seat depth adj.. 490x453
Backrest height (distance between top of backrest/top of seat)	755-860		
Height of 1D armrests (distance between top of backrest/top of armrest)	160-230		
Height of 4D armrests (distance between top of backrest/top of armrest)	160-260		
WEIGHT (kg)			
Net weight	21.439	22.089	16.325
Max. load - 1D armrests	40 kg		
Max. load - 4D armrests	40 kg		
Max. load	120 kg		